

Ebike Battery Product List

Protection: Over-charge, over-current, over-discharge, over-heat, short-circuit, cells balance.

Certificates: ISO9001, CE, FCC, ROHS, UN38.3, MSDS

Waterproof Rate: IP65

Recommend charger:

42V 2A charger for 36V battery;

54.6V 2A charger for 48V battery.

BMS: 20A or 25A for option

MOQ:



1 PCS for sample;


20 PCS for bulk;

Cell brands: CN, SDI, LG


Warranty: 1 year

No.	P/N	Photo	Description	Configuration	Volt & Capacity
1	凯美特 海龙二代 KAIMEITE Hailong KT-E05	 KT-E05 367.5*95*89mm N.W: 3.28~3.79kg	Hailong Li-ion Ebike battery KT-E05 Case, Max 52PCS 18650 cells; Max 30PCS 21700 cells; With USB output and Controller box	18650-10S5P	36 V 13 Ah
2					36 V 15 Ah
3					36 V 16 Ah
4					36 V 18 Ah
5				21700-10S3P	36 V 12 Ah
6					36 V 15 Ah
7				18650-13S4P	48 V 10 Ah
8					48 V 12 Ah
9					48 V 13 Ah
10					48 V 14 Ah
11	凯美特 海龙二代 KAIMEITE Hailong KT-E06	 KT-E06/E07 367.5*95*122mm N.W: 4.7~5.2kg	Hailong Li-ion Ebike battery KT-E06, KT-E07 Case, Max 80PCS 18650 cells Max 52PCS 21700 cells; With USB output and Controller box	18650-10S8P	36 V 21 Ah
12					36 V 23 Ah
13					36 V 26 Ah
14					36 V 28 Ah
15				21700-10S5P	36 V 20 Ah
16					36 V 25 Ah
17				21700-13S4P	48 V 16 Ah
18					48 V 20 Ah
19				18650-13S6P	48 V 16 Ah
20					48 V 17 Ah
21					48 V 19 Ah
22					48 V 21 Ah
23	凯美特 海龙二代 KAIMEITE Hailong KT-E10	 KT-E10 367.5*95*138mm N.W: 5.6~6.5kg	Hailong Li-ion Ebike battery KT-E06 Case, Max 104PCS 18650 cells Max 65PCS 21700 cells; With USB output and Controller box	18650-10S10P	36 V 26 Ah
24					36 V 29 Ah
25					36 V 32 Ah
26					36 V 35 Ah
27				21700-10S6P	36 V 24 Ah
28					36 V 30 Ah
29				21700-13S5P	48 V 20 Ah
30					48 V 25 Ah
31				18650-13S8P	48 V 21 Ah
32					48 V 23 Ah
33					48 V 26 Ah
34					48 V 28 Ah


No.	P/N	Photo	Description	Configuration	Volt & Capacity	
35	睿恩新 鸚鵡 Reention Polly DP-5/5C (Hailong)	 368*90*96mm N.W: 3.28~3.79kg	Li-ion Ebike battery Reention Polly / Hailong 5C 52PCS 18650 cells Max;	18650-10S5P	36 V	13 Ah
36					36 V	15 Ah
37					36 V	16 Ah
38					36 V	18 Ah
39				18650-13S4P	48 V	10 Ah
40					48 V	12 Ah
41					48 V	13 Ah
42					48 V	14 Ah
43	睿恩新 鸚鵡 Reention Polly DP-6/6C (Hailong)	Model:DP-6/6C  368*90*113mm N.W: 3.8~4.6kg	Li-ion Ebike battery Reention Polly / Hailong 6C 65PCS 18650 cells Max;	18650-10S6P	36 V	16 Ah
44					36 V	17 Ah
45					36 V	19 Ah
46					36 V	21 Ah
47				18650-13S5P	48 V	13 Ah
48					48 V	15 Ah
49					48 V	16 Ah
50					48 V	18 Ah
51	睿恩新 鸚鵡 Reention Polly DP-9/9C (Hailong)	Model:DP-9/9C  368*90*141mm N.W: 5~5.6kg	Li-ion Ebike battery Reention Polly / Hailong DP-9/9C Max 84PCS 18650 cells	18650-10S8P	36 V	21 Ah
52					36 V	23 Ah
53					36 V	26 Ah
54					36 V	28 Ah
55				18650-13S6P	48 V	16 Ah
56					48 V	17 Ah
57					48 V	19 Ah
58					48 V	21 Ah
59	睿恩新 鸚鵡 Reention Polly DP-2170-4C (Hailong)	Model:DP-2170-4C  368*95*106mm N.W: 3.28~3.79kg	Li-ion Ebike battery Reention Polly / Hailong DP-2170-4C Max 52PCS 18650 cells Max 40PCS 21700 cells	18650-10S5P	36 V	13 Ah
60					36 V	15 Ah
61					36 V	16 Ah
62					36 V	18 Ah
63				21700-10S4P	36 V	16 Ah
64					36 V	20 Ah
65	睿恩新 鸚鵡 Reention Polly DP-2170-5C (Hailong)	Model:DP-2170-5C  368*95*125mm N.W: 3.8~4.6kg	Li-ion Ebike battery Reention Polly / Hailong DP-2170-5C Max 65PCS 18650 cells; Max 52PCS 21700 cells.	18650-10S6P	36 V	16 Ah
66					36 V	17 Ah
67					36 V	19 Ah
68					36 V	21 Ah
69				21700-10S5P	36 V	20 Ah
70					36 V	25 Ah
71				18650-13S5P	48 V	13 Ah
72					48 V	15 Ah
73					48 V	16 Ah
74					48 V	18 Ah
75				21700-13S4P	48 V	16 Ah
76					48 V	20 Ah


No.	P/N	Photo	Description	Configuration	Volt & Capacity	
77	睿恩新 剑鱼 Reention Dorado ID-MAX		Li-ion Ebike battery Reention Dorado ID-MAX Max 80PCS 18650 cells Max 60PCS 18650 cells	18650-10S6P	36 V	16 Ah
78					36 V	17 Ah
79					36 V	19 Ah
80					36 V	21 Ah
81				18650-10S8P	36 V	21 Ah
82					36 V	23 Ah
83					36 V	26 Ah
84					36 V	28 Ah
85				18650-13S6P	48 V	16 Ah
86					48 V	17 Ah
87					48 V	19 Ah
88					48 V	21 Ah
89	睿恩新 麒麟 Reention Kirin DK-7-B		Reention Kirin DK-7-B li-ion battery for ebike; Max 70PCS 18650 cells Max 42PCS 21700 cells;	18650-10S7P	36 V	18 Ah
90					36 V	20 Ah
91					36 V	22 Ah
92					36 V	25 Ah
93				21700-10S4P	36 V	16 Ah
94					36 V	20 Ah
95				21700-13S3P	48 V	12 Ah
96					48 V	15 Ah
97				18650-13S5P	48 V	13 Ah
98					48 V	15 Ah
99					48 V	16 Ah
100					48 V	18 Ah
101	山山 Shanshan SSE-106 南阳4号 PRO（下 拉）		南阳4号 PRO （下拉） SSE-106 SOUTH PACIFIC IV PRO (bottom pull) Li-ion Ebike battery SHANHAN CASE, Max 18650 cells 65 PCS; Max 21700 cells 30 PCS; With fixing ebike tube	18650-10S6P	36 V	16 Ah
102					36 V	17 Ah
103					36 V	19 Ah
104					36 V	21 Ah
105				18650-13S5P	48 V	13 Ah
106					48 V	15 Ah
107					48 V	16 Ah
108					48 V	18 Ah
109				21700-10S3P	36 V	12 Ah
110					36 V	15 Ah
111	山山 Shanshan SSE-095 丰田二号		丰田2号 SSE-095 FENGtian II Li-ion Ebike battery SHANHAN CASE, Max. 18650 65 PCS; With fixing ebike tube	18650-10S6P	36 V	16 Ah
112					36 V	17 Ah
113					36 V	19 Ah
114					36 V	21 Ah
115				18650-13S5P	48 V	13 Ah
116					48 V	15 Ah
117					48 V	16 Ah
118					48 V	18 Ah

No.	P/N	Photo	Description	Configuration	Volt & Capacity	
119	山山 Shanshan SSE-189 佳能2号		佳能2号 SSE-189 CANON II Li-ion Ebike battery SHANHAN CASE, Max 18650 cells 91 PCS; Max 21700 cells 65 PCS;	18650-10S9P	36 V	23 Ah
120					36 V	26 Ah
121					36 V	29 Ah
122					36 V	32 Ah
123				21700-10S6P	36 V	24 Ah
124					36 V	30 Ah
125				21700-13S5P	48 V	20 Ah
126					48 V	25 Ah
127				18650-13S7P	48 V	18 Ah
128					48 V	20 Ah
129					48 V	22 Ah
130					48 V	25 Ah
131	Reention Cuttle DC-1C (Water Bottle)	Model:DC-1C 	Li-ion Ebike battery	18650-7S2P	24 V	5.2 Ah
132					24 V	5.8 Ah
133					24 V	6.4 Ah
134					24 V	7 Ah
135	睿恩新 海兔 Reention Cuttle DC-2C (Water Bottle)	Model:DC-2C 	Reention Cuttle / Water bottle DC-1C 14PCS 18650 cells Max; Reention Cuttle / Water bottle DC-2C 21PCS 18650 cells Max;	18650-7S3P	24 V	7.8 Ah
136					24 V	8.7 Ah
137					24 V	9.6 Ah
138					24 V	11 Ah
139				18650-10S2P	36 V	5.2 Ah
140					36 V	5.8 Ah
141					36 V	6.4 Ah
142					36 V	7 Ah
143	Reention Cuttle DC-2170-1C (Water Bottle)	Model:DC-2170-1C 	Li-ion Ebike battery Reention Cuttle / Water bottle DC-1C 14PCS 18650 cells Max;	21700-7S2P	24 V	8 Ah
144					24 V	10 Ah
145	Reention Cuttle DC-2170-2C (Water Bottle)	Model:DC-2170-2C 	Reention Cuttle / Water bottle DC-2C 21PCS 18650 cells Max;	21700-7S3P	24 V	12 Ah
146					24 V	15 Ah
147				21700-10S2P	36 V	8 Ah
148					36 V	10 Ah
149	睿恩新 银鱼 Reention Brilliance SF-2 Silver Fish	Model:SF-2 	Li-ion Ebike battery Reention Brilliance / Silver Fish SF-2 70PCS 18650 cells Max;	18650-10S7P	36 V	18 Ah
150					36 V	20 Ah
151					36 V	22 Ah
152					36 V	25 Ah
153				18650-13S5P	48 V	13 Ah
154					48 V	15 Ah
155					48 V	16 Ah
156					48 V	18 Ah

No.	P/N	Photo	Description	Configuration	Volt & Capacity	
157	睿恩新 小银鱼 Reention Brilliance SF-3 Small Silver Fish	Model:SF-3 	Li-ion Ebike battery Reention Brilliance Small Silver Fish SF-3 40PCS 18650 cells Max;	18650-10S4P	36 V	10 Ah
158					36 V	12 Ah
159					36 V	13 Ah
160					36 V	14 Ah
161	睿恩新 公牛 Reention Bull IBU-U		Li-ion Ebike battery Bull under tube IBU-U Battery case Module Fit 65PCS 18650 cells Max Fit 42PCS 21700 cells Max	18650-10S6P	36 V	16 Ah
162					36 V	17 Ah
163					36 V	19 Ah
164					36 V	21 Ah
165			Wall-e motor controller case is for option. With fixing base	21700-10S4P	36 V	16 Ah
166					36 V	20 Ah
167					48 V	13 Ah
168					48 V	15 Ah
169				18650-13S5P	48 V	16 Ah
170					48 V	18 Ah
171				21700-13S3P	48 V	12 Ah
172					48 V	15 Ah
173	睿恩新 白鹭 Reention Egret EGRET-U		Li-ion Ebike battery Egret-U under tube Battery case Module Fit 65PCS 18650 cells Max Fit 42PCS 21700 cells Max	18650-10S6P	36 V	16 Ah
174					36 V	17 Ah
175					36 V	19 Ah
176					36 V	21 Ah
177			Wall-e motor controller case is for option. With fixing base	21700-10S4P	36 V	16 Ah
178					36 V	20 Ah
179					48 V	13 Ah
180				18650-13S5P	48 V	15 Ah
181					48 V	16 Ah
182					48 V	18 Ah
183				21700-13S3P	48 V	12 Ah
184					48 V	15 Ah
185	睿恩新 猛犸 Reention Mammoth		Li-ion Ebike battery Mammoth hydroforming tube Fit 80PCS 18650 cells Max Fit 56PCS 21700 cells Max	18650-10S8P	36 V	21 Ah
186					36 V	23 Ah
187					36 V	26 Ah
188					36 V	28 Ah
189			BMS current: 20Amp 25Amp for option Cell option: CN, SDI, LG	21700-10S5P	36 V	20 Ah
190					36 V	25 Ah
191				18650-13S6P	48 V	16 Ah
192					48 V	17 Ah
193					48 V	19 Ah
194					48 V	21 Ah
195			21700-13S4P		48 V	16 Ah
196					48 V	20 Ah

No.	P/N	Photo	Description	Configuration	Volt & Capacity	
197	睿恩新 狮鹫 Reention Grinffin		Li-ion Ebike battery Grinffin hydroforming tube Special design for lady bike Fit 80PCS 18650 cells Max Fit 56PCS 21700 cells Max	18650-10S8P	36 V	21 Ah
198					36 V	23 Ah
199					36 V	26 Ah
200					36 V	28 Ah
201				21700-10S5P	36 V	20 Ah
202					36 V	25 Ah
203				18650-13S6P	48 V	16 Ah
204					48 V	17 Ah
205					48 V	19 Ah
206					48 V	21 Ah
207				21700-13S4P	48 V	16 Ah
208					48 V	20 Ah
209	睿恩新 犀牛 Reention Rhino5-T		Li-ion Ebike battery	18650-10S5P	36 V	13 Ah
210					36 V	15 Ah
211					36 V	16 Ah
212					36 V	18 Ah
213	睿恩新 犀牛 Reention Rhino5-U		Rhino 5 top or under tube Fit 52PCS 18650 cells Max	18650-13S4P	48 V	10 Ah
214					48 V	12 Ah
215					48 V	13 Ah
216					48 V	14 Ah
217	睿恩新 犀牛 Reention Rhino7-U		Li-ion Ebike battery Rhino 7 IR-7 battery under tube case module, fit 70PCS 18650 cells max or 42PCS 21700 cells max. Rhino 7 IR-21700 battery under tube case module, fit 60PCS 21700 cells max.	18650-10S7P	36 V	18 Ah
218					36 V	20 Ah
219					36 V	22 Ah
220					36 V	25 Ah
221				21700-10S4P	36 V	20 Ah
222					36 V	25 Ah
223				21700-10S6P	36 V	24 Ah
224					36 V	30 Ah
225				18650-13S5P	48 V	13 Ah
226					48 V	15 Ah
227					48 V	16 Ah
228					48 V	18 Ah
229				21700-13S3P	48 V	12 Ah
230					48 V	15 Ah
231				21700-13S4P	48 V	16 Ah
232					48 V	20 Ah

No.	P/N	Photo	Description	Configuration	Volt & Capacity	
233	睿恩新 犀牛 折叠款 Reention Rhino Folding Rhino-F-T		Li-ion Ebike battery Rhino folding top tube Fit 52PCS 18650 cells Max Fit 30PCS 21700 Cell	18650-10S5P	36 V	13 Ah
234					36 V	15 Ah
235					36 V	16 Ah
236					36 V	18 Ah
237				21700-10S3P	36 V	12 Ah
238					36 V	15 Ah
239				18650-13S4P	48 V	10 Ah
240					48 V	12 Ah
241					48 V	13 Ah
242					48 V	14 Ah
243				21700-13S2P	48 V	8 Ah
244					48 V	10 Ah
245	睿恩新 野牛 Reention Bison-F-T		Li-ion Ebike battery Bison folding top tube battery case module Fit 52PCS 18650 cells Max Fit 30PCS 21700 cells Max	18650-10S5P	36 V	13 Ah
246					36 V	15 Ah
247					36 V	16 Ah
248					36 V	18 Ah
249				21700-10S3P	36 V	12 Ah
250					36 V	15 Ah
251				18650-13S4P	48 V	10 Ah
252					48 V	12 Ah
253					48 V	13 Ah
254					48 V	14 Ah
255				21700-13S2P	48 V	8 Ah
256					48 V	10 Ah
257	睿恩新 猎豹 Reention Cheetah-FT		Li-ion Ebike battery Cheetah folding top tube battery case module Fit 30PCS 21700 cells Max	21700-10S3P	36 V	12 Ah
258					36 V	15 Ah
259				21700-13S2P	48 V	8 Ah
260					48 V	10 Ah
261	睿恩新 灰熊 Reention Grizzlybear		Li-ion Ebike battery Grizzlybear Shaped tube 30PCS 21700 cells; Extrusion tube 40PCS 21700 cells.	21700-10S3P	36 V	12 Ah
262					36 V	15 Ah
263				21700-10S4P	36 V	16 Ah
264					36 V	20 Ah
265				21700-13S2P	48 V	8 Ah
266					48 V	10 Ah
267				21700-13S3P	48 V	12 Ah
268					48 V	15 Ah

No.	P/N	Photo	Description	Configuration	Volt & Capacity	
269	睿恩新 雨燕 Reention Swifts		Li-ion Ebike battery Swifts top or under tube fit 40PCS 18650 cells Max;	18650-10S4P	36 V	10 Ah
270					36 V	12 Ah
271					36 V	13 Ah
272					36 V	14 Ah
273				18650-10S5P	36 V	13 Ah
274					36 V	15 Ah
275					36 V	16 Ah
276					36 V	18 Ah
277	睿恩新 雨燕Plus Reention Swifts-Plus		Swifts PLUS top or under tube fit 52PCS 18650 cells Max.	18650-13S3P	48 V	7.8 Ah
278					48 V	8.7 Ah
279					48 V	9.6 Ah
280					48 V	11 Ah
281				18650-13S4P	48 V	10 Ah
282					48 V	12 Ah
283					48 V	13 Ah
284					48 V	14 Ah
285	睿恩新 狐獴 Reention Meerkat		Li-ion Ebike battery Meerkat-F or Meerkat-R battery case module, fit 20PCS 21700 cells Max	21700-10S2P	36 V	8 Ah
286					36 V	10 Ah
287				21700-13S1P	48 V	4 Ah
288					48 V	5 Ah
289	睿恩新 棱镜 Reension Prism		Li-ion Ebike battery Prism down taken / upper taken battery case module Fit 52PCS 18650 cells Max Fit 30PCS 21700 cells Max	18650-10S5P	36 V	13 Ah
290					36 V	15 Ah
291					36 V	16 Ah
292					36 V	18 Ah
293				21700-10S3P	36 V	12 Ah
294					36 V	15 Ah
295				18650-13S4P	48 V	10 Ah
296					48 V	12 Ah
297					48 V	13 Ah
298					48 V	14 Ah
299				21700-13S2P	48 V	8 Ah
300					48 V	10 Ah

Remark:

Cells: Brand new and grade A Chinese brand cells.

SDI or LG cells are available for option

MOQ: 1 PCS for sample, 10 PCS for bulk purchasing

Lead time: 1 or 2 weeks subject to production schedule.

Transportation: DDP by express, air or sea.

Warranty: 12 months